

IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Currently Amended): A media handling system in which candidate video sequences are displayed on a display screen in schematic form for selection by a user, the system comprising:

user control means for defining a set of one or more of the video sequences;
detecting means for detecting human faces in the candidate video sequences, for
detecting a probability of a human face being present in each field or frame of the video sequences, and for weighting at least some of the detected probability levels depending on the size of the detected face, each one of the weighted probability levels corresponds with a
respective face size stored in a look-up table displayed representation of a candidate video
sequence including one or more images representing human faces which have the highest
weighted probability levels amongst the respective video sequences; and
a display screen configured to display at least one representation the representations
of the candidate video sequences for selection by the [[a]] user, each representation of the
candidate video sequence including one or more images representing human faces derived
from the respective video sequences and having the highest weighted probability levels
amongst the respective video sequences, wherein; and user control means for defining a set of
one or more of the video sequences
the detector means weights the probability levels based on the correspondence
between each one of the weighted probability levels and the respective face sizes as defined
by the look-up table, such that detected faces closer in size to a preferred representation size
are presented to the user for selection thereof as the displayed representation of the candidate
video sequence.

Claim 2 (Previously Presented): A system according to claim 1, wherein the set of one or more of the video sequences is an ordered edited set forming an output media product.

Claim 3 (Previously Presented): A system according to claim 2, further comprising: means for displaying, on the display screen, a further ordered representation of a group of at least a subset of the video sequences forming the output media product, the ordered representation including one or more images representing human faces derived from the respective video sequences in the group.

Claim 4 (Previously Presented): A system according to claim 3, wherein the ordered representation is a timeline representation, providing an ordered representation of the group of video sequences forming the output media product along a generally rectilinear path on the display screen.

Claim 5 (Previously Presented): A system according to claim 3, wherein the ordered representation may be scaled so as to vary the proportion of the video sequences forming the output media product which are currently displayed in the ordered representation.

Claims 6-8 (Canceled).

Claim 9 (Previously Presented): A system according to claim 1, wherein the detecting means applies the weighting over a subset of the fields or frames of a video sequence.

Claim 10 (Previously Presented): A system according to claim 9, wherein the detecting means applies the weighting over an initial subset of the fields or frames of a video sequence.

Claim 11 (Previously Presented): A system according to claim 1, wherein each candidate video sequence is a sequence over which a face has been detected.

Claim 12 (Previously Presented): A system according to claim 11, wherein selection of a displayed representation by the user control causes the display of the corresponding video sequence.

Claim 13 (Previously Presented): A system according to claim 1, wherein the candidate video sequences are selected from a video sequence captured by a surveillance camera.

Claim 14 (Previously Presented): A system according to claim 1, wherein the user control means indicates that faces detected in two or more of the candidate video sequences represent a same person's face.

Claim 15 (Currently Amended): A method of media handling in which candidate video sequences are displayed on a display screen in schematic form for selection by a user, the method comprising:

detecting human faces in the candidate video sequences;
detecting a probability of a human face being present in each field or frame of the video sequences;

weighting at least some of the detected probability levels depending on the size of the detected face, each one of the weighted probability levels corresponds with a respective face size stored in a look-up table displayed representation of a candidate video sequence including one or more images representing human faces which have the highest weighted probability levels amongst the respective video sequences;

displaying on a display screen at least one representation the representations of the candidate video sequences for selection by the [[a]] user, each representation of the of the candidate video sequences including one or more images representing human faces derived from the respective video sequences and having the highest weighted probability levels amongst the respective video sequences; [[and]]

defining a set of one or more of the video sequences; and
weighting the probability levels based on the correspondence between each one of the weighted probability levels and the respective face sizes as defined by the look-up table, such that detected faces closer in size to a preferred representation size are presented to the user for selection thereof as the displayed representation of the of the candidate video sequences.

Claim 16 (Previously Presented): A computer readable storage medium encoded with a computer readable program configured to cause an information processing apparatus to execute the method according to claim 15.

Claims 17-19 (Canceled).

Claim 20 (Currently Amended): A media handling system in which candidate video sequences are displayed on a display screen in schematic form for selection by a user, the system comprising:

a user control configured to define a set of one or more of the video sequences;
a detector configured to detect human faces in the candidate video sequences, to detect a probability of a human face being present in each field or frame of the video sequences, and to weight at least some of the detected probability levels depending on the size of the detected face, each one of the weighted probability levels corresponds with a respective face size stored in a look-up table displayed representation of a candidate video sequence including one or more images representing human faces which have the highest weighted probability levels amongst the respective video sequences; and

a display screen configured to display at least one representation the representations of the candidate video sequences for selection by the [[a]] user, each representation of the candidate video sequence including one or more images representing human faces derived from the respective video sequences and having the highest weighted probability levels amongst the respective video sequences, wherein; and a user control configured to define a set of one or more of the video sequences

the detector weights the probability levels based on the correspondence between each one of the weighted probability levels and the respective face sizes as defined by the look-up table, such that detected faces closer in size to a preferred representation size are presented to the user for selection thereof as the displayed representation of the of the candidate video sequences.

Claim 21 (Canceled).